

BROILER BEDDING

PRODUCT DESCRIPTION

Spanvall Broiler Bedding is a mixture of wood shavings and plant fibre. The particle size is a unique composition, and the product has been sieved several times in order to obtain an optimal absorption ability. The moisture level in the bedding has been precisely examined, making it an exceptional fresh bedding with a controlled degree of humidity.

100 % dust free (controlled degree of moisture)

High absorption of ammonia

Reduces heavy pad scorch High animal welfare

Reduces breast blister

High absorbency capacity (7-8 times its own weight)






PREPARATION






2 Pre-heat the house 12-24 hours before the chicks are inserted (floor temperature is minimum 28-30 degrees Celsius)




HOW TO USE






ROTATION

4 Humidity is emitted to the air



5 Absorption of ammonia



BROILER CLIMATE SETTINGS


Age days	Temperature Celsius	Maximum humidity	Minimum ventilation M³/h/10.000 broilers (co²)
0	34-35	50%	600 (2000)
7	30	50%	1700 (2000)
14	28	55%	3600 (2500)
21	26	55%	6000 (3000)
28	23	60%	8000 (3000)
35	21	65%	10.000 (3000)
42	19	65%	12.000 (3000)

LOGISTICS



BIG BALE

850-1000 kg +/- 10 % 240 cm = 1 bale per pallet



SMALL BALE

